


Introducing the zSpace[®] 200

The Next Generation of Virtual Reality



zSpace® 200



Software Included

- zSpace Zone Virtual Reality Desktop
- zSpace Studio
- zSpace Gallery
- zSpace System Software
- SDK and partner software

Hardware Features

- 1080p HD stereographic 3D display with passive polarized eyewear
- Headtracking interface
- Six degrees of freedom stylus interface
- Stylus touch and write support
- Integrated USB hub for peripheral convenience
- Snap-in peripheral mounting
- VESA mount

Technical Specifications

Resolution	1920*1080 Full HD
Display Area	20.5"H*11.5"V*23.6"D
Rise Time/Fall Time	Tr: 1.3 ms Tf: 4.3 ms
Contrast Ratio	2D: 1000: 1 3D: 100:1
Power Requirements	12 VDC, External Power Adapter: 100-240 VAC 50/60Hz
Package Includes	USB Device to Computer, DisplayPort Cable, Power adapter, Stylus, Polarized Eyewear, Polarized Clip-ons,

Stand	30°, 45°, 60°, Variable with VESA
VESA	100 mm*100 mm
Brightness	2D: 500 cd/m2 3D: 500 cd/m2
Operating Environment	Temp: 10-40° C Humidity: 10-80%NC
Certifications	FCC B, WEEE, CE, RoHS, VCCI, CB, UL, C-Tick, PSE, SPRING
Connectors	Type B USB - 1 Port Type A USB - 4 ports DisplayPort (1.2) DVI Stylus *2 DC Power (12V)

Peripherals and Display

- Passive polarized eyewear allows for comfortable long-term use
- zSpace stylus creates an intuitive and powerful interface
- Optimized time sequential stereo display

Minimum System Requirements

- PC: Intel Core i3 or better
- GPU: Nvidia Quadro desktop K2000 or better, mobile K3100M or better, any AMD Radeon or FirePro with minimum 2GB VRAM
- RAM: 4 GB+
- OS: Windows 7